

11/6/63.

# Contents and Index

of

## Höfchen-Briefe

14

Volume 1961



Digitized by the Internet Archive  
in 2025

# Contents

## List of Papers

---

### Volume 1961

- Ahmed, Dhia D., and Anis-N-A. W. Naoum:  
Chemical control experiments on the Spiny Bollworm, *Earias insulana* Boisd., on cotton in Iraq 1956—1958. Page 94—103.
- Helle, W.:  
Chemical Control of *Coccus hesperidum* L. (Lecaniidae) in Greenhouses. Page 49—52.
- Müller, Gerh.:  
Problems of Protecting Maize Crops in El Salvador. Page 30—49.
- Nuber, K. (Stuttgart-Hohenheim):  
Overwintering of the Red Spider Mite *Tetranychus urticae* Koch in Hop Gardens (Acari, Tetranychidae). Page 6—15.
- Schramm, G.:  
Large-scale field trial with METASYSTOX® in seed potato production area of Middle Franconia. Page 72—80.
- Unterstenhöfer, G.:  
Development of Spider Mite Resistance to Acaricides. Page 1—6.
- Unterstenhöfer, G.:  
Results, problems and trends in the biological development of and research on insecticides, especially organophosphorus compounds. Page 53—72.
- Walle, E. v. d.:  
The coffee rust in Kivu, description and control. Page 15—30.
- Wessels, P. P. M.:  
The use of GUSATHION® in fruiticulture in South Africa. Page 80—93.



# Index of Authors

---

## Volume 1961

### A

Abbott, 50  
Ahmed, Dhia, 94—103

### B

Burch, 16

### C

Complin, 3, 6  
Crow, 5

### D

Dittrich, 4, 5  
Dosse, 6, 14

### E

El-Haidari, 96, 103

### F

Faber, von 17  
Fritzsche, 5, 14

### G

Gasser, 2, 5, 9, 11, 14

### H

Hansen, 3, 5  
Hanstein, von, 14  
Helle, 3, 5, 49—52  
Hoyb, 6

### I

Igel-Lange, 74

### J

Jary, 8, 14  
Jeppson, 3, 6  
Jesser, 3, 6

### L

Linke, 8, 9, 15

### M

Madson, 6  
Marshall Ward, 16, 18  
Mayne, 16, 18  
Müller, G., 30—49

### N

Naegele, 5  
Naoum, Anis, 94—103  
Nuber, K., 6—15

### O

Oliveira, 25

### P

Pasquier, du, 22

### R

Rademacher, B., 6  
Rayner, 18  
Rao, 94, 103  
Rebl, 8, 15  
Reiff, 9, 15  
Roger, 18, 19, 103

### S

Saba, 2, 6  
Saccas, 18  
Smith, F. F., 6  
Schrader, 43, 60  
Schramm, 72—79

### T

Taylor, E. A., 6  
Thomas, 94, 103

### U

Unterstenhöfer, 1—6,  
53—72

### W

Walker, 94, 96, 103  
Walle, v. d., 15—30  
Watson, 2, 3, 6  
Wessels, 80—93

### Z

Zattler, 8, 15



# General Index

## A

Abutilon theophrasti 95  
Acaricides 1—5, 62, 66—71  
Aerial applications 42  
Agriotes sp. 32  
Agrotis ypsilon 32  
Aldrin 32, 42  
Aliesterases 58  
Anthonomus grandis 61  
Anthurium andraeanum 50  
Antihelminthicum 64  
Aonidiella aurantii 80—85  
Aphelinus mali 89  
Aphids 35, 38, 47, 67—71, 72—79, 84  
Aphis citricidus 84  
Aphids maidis 35, 47  
Arabica coffee 15  
Aramite 3  
Aspergillus niger 95  
Asuntol 65  
Atropine 58  
Azobenzene 1

## B

Basidiomycetes 16  
Baytex 64  
Bean 2, 30  
Beet fly 63, 70  
BHC 39, 95  
Biting lice 64  
Boil smut 38  
Bordeaux mixture 26  
Bryobia praetiosa 89  
Bunostomum phlebotomum 64  
Burns 43  
Busseola fusca 63

## C

Calandra granaria 38  
Calliphoridae 65  
Ceylon 25  
Cherry fruit fly 65  
Chlorbenside 1  
Chlorbenzilate 1, 2, 3  
Chlordane 32

Chlorinated hydrocarbons 54 ff.  
1,1-bis-(4-Chlorophenyl)-2,2,2-trichloroethanol 1, 3  
Chlorthion 61, 96 ff.  
Cholinesterase 58  
Chrysomphalus ficus 81, 85  
Circular purple scale 85  
Citrus red mite 84  
Cladosporium hemileiae 19  
Coccus hesperidum 49—52, 81  
Codling moth 85  
Coffea canephora 18  
Coffee 15—30  
Coffee rust 15—30  
Coleoptera 62  
Colletotrichum coffeanum 28  
Conoderus sp. 32  
Cooperia sp. 64  
Copitarsia sp. 32  
Copper oxychloride 26  
Co-Ral 65  
Corn aphid 35  
Cotton 37, 94—103  
Cultivation of Ornamentals 49—52  
Cultural methods 26  
Cupravit 28 ff.  
Cuprous oxide 26  
Cutworms 32  
Cydia pomonella 85

## D

Dalbulus maidis 38, 48  
Dead nettle 2  
Deciduous fruit 85—93  
Demeton 1, 3, 4  
Dermatobia hominis 63, 64  
Diabrothica balteata 35, 48  
Diabrothica viridula 35, 48  
Dianthus caryophyllus 2  
Diatraea lineolata 33, 45  
Diatraea saccharalis 33, 45  
Diazinon 2  
Dichlorodiphenyltrichloroethane 39, 42, 51, 54 ff., 86—88, 95, 96  
Dicontal 96 ff.  
Dieldrin 32, 42

Diels-Adler dienes 54  
Dipterex 41, 43—49, 63 ff., 96 ff.  
Dithiophosphoric acid, 0,0-dimethyl-  
S- $\beta$ -ethyl-thioethyl ester of 51

## E

Earias insulana 61, 94—103  
Elasmopalpus lignosellus 32  
Endrin 94, 96 ff.  
Epichorista ionephela 92  
Eradex 3  
Eriosoma lanigerum 89  
Estigmene acrea 34, 47  
Eulecanium corni 49

## F

Feltia subterranea 32  
Fertilizers 26  
Fly maggots 63  
Folidol M 49, 81  
Fungicides 26  
Fusarium moniliforme 38

## G

Gastrophilus sp. 64  
Genite 1  
Gibberella zeae 37  
Gossypium spp. 95  
Granulates 70  
Gusathion 51, 52, 80—93, 96—103

## H

Haemonchus placei 64  
Hand-operated dusters 40  
Heliothis zea 37  
Helminthosporium turcicum 38  
Hemileia vastatrix 15—30  
Hemp 95  
Heteroptera 65  
Hibiscus sp. 94, 95  
High Boys 41  
High clearance spraying machines 41  
Hoja blanca 38  
Hollyhock 95  
Hop 2, 6—14  
Humulus lupulus 2  
Hydroponic cultivation 50  
Hymenoptera 65

## I

Incubation period (virus) 18, 38  
Initial toxicity 58  
Insecticides 39, 40, 53—71  
Iraq 94—103

## J

Jute 95

## K

Knapsack sprayers 40

## L

Lachnosterna sp. 32  
Lamium album 2  
Laphygma frugiperda 33, 39, 40, 42  
Leaf-eating caterpillars 40  
Leaf roll virus 73—80  
Lebaycid 64  
Lepidoptera 65  
Lepidosaphes pinniformis 81, 85  
Lindane 54  
Lycophotia sp. 32

## M

Maize looper 34, 40  
Maize stalk borer 63  
Mediterranean fruit fly 65  
Melanothus sp. 32  
Metasystox 37, 48, 51, 67—71, 72—80,  
94—103  
Metatetranychus sp. 1, 84  
Method of applications 28  
Methyl bromide 38  
Methyl butyral 58  
Mocis repanda 34, 40, 46  
Muscatox 65  
Mussel scale 85

## N

Neguvon 63, 66  
Nygrospora maidis 38

## O

Oligonychus sp. 36  
Olive fruit fly 65

OMPA 66  
Ovotran 1  
Ox warble fly 63

## P

PAM 58  
*Panonychus citri* 3  
Parathion 1, 2, 51, 84  
Pear sucker 61  
*Pegomya hyoscyami* 63  
*Penicillium* sp. 38  
*Peridroma* sp. 32  
Pest control, biological 53 ff., 89  
Pest control, chemical 53 ff.  
*Phaseolus vulgaris* 2  
Phenkapton 1, 2, 3  
Phosdrin 1, 3  
Phosphamidon 51  
Phosphoric ester 42, 51  
*Phragmobasidiomycetes* 16  
Plum 2  
*Plutella maculipennis* 63  
Polytoxicity 56, 58, 59  
Potato viruses 72—80  
*Prodenia* sp. 32, 35, 47  
*Prunus domestica* 2  
*Psylla pyricola* 61  
Public health pests 64  
Pyradoxon 2

## R

Red scale 82, 83, 85  
Red spider mite 6—14  
Residual action 60, 62  
Resistance 1—5, 55, 56, 59, 62, 71, 89  
Resistance to acaricides 1, 62  
Resistance to insecticides 1, 55, 56, 59  
*Rhizopus nigricans* 95

## S

Scale insects 80—84  
*Schistocerca cancellata* 36, 48  
*Scirtothrips aurantii* 85  
Seed dressings 70  
Seed potato production 72—80  
Seed treatment (dressing) 70

Septate mycelium 16  
*Sithophilus granaria* 38  
Soft brown scale 85  
Soil insects 32  
Species ascendancy, change of 54, 56, 59  
Spider mites 1—5  
Spiny bollworm 61, 94—103  
Stalk borers 34  
Storage pests 38  
Sugar cane 33  
Systox 50, 51, 66—71, 94

## T

Temperature coefficient 54  
*Tenebrio molitor* 38  
TEPP 2, 59  
*Tetranychus* sp. 1—3, 6—14, 51, 88, 94  
Thiometon 1, 3  
Thrips 85  
Thysanoptera 65  
Ticks 64  
Timing of applications 28  
TMTD 38  
*Tortrix capensana* 92  
Toxaphene 42  
Toxicity 60, 64  
Triacetin 58  
*Trichinella spiralis* 64

## U

Uredinales 16  
*Ustilago maidis* 38

## V

Vectors 67—71, 72—79  
Veterinary pests 65  
Virus A 78  
Virus diseases 38, 67—71, 72—79  
Virus Y 73—79

## W

White tip disease (maize) 38  
Woolly apple aphid 89